


SQUARE TUBE

QUADRATISCHES ROHR



Precision Tube (EN 10305-5) Structural Tube (EN 10219) Präzisionsrohr (EN 10305-5) Konstruktionsrohr (EN 10219)															
BxB Side dim. Seitenabm.	Cold Rolled (DC01) Kaltgewalzt (DC01) Thickness/ Dicke – T (mm) Theoretical Weight/ Sollgewicht (kg/m)					Sendzimir Galvanized (DX510-Z200/Z275) Verzinkt Sendzimir (DX510-Z200/Z275) Thickness/ Dicke – T (mm) Theoretical Weight/ Sollgewicht (kg/m)					Hot Rolled (DD11/S235JR/S275JR/S275J0) Warmgewalzt (DD11/S235JR/S275JR/S275J0) Thickness/ Dicke – T (mm) Theoretical Weight/ Sollgewicht (kg/m)				Un. Einh. Tied Umschnürt
	mm	0,80	1,00	1,25	1,50	2,00	1,00	1,25	1,50	2,00	3,00	1,50	2,00	3,00	
16x16	0,379	0,469	0,578	0,684	0,888	0,469	0,578	0,684	-	-	0,684	-	-	-	480
20x20	0,477	0,592	0,732	0,869	1,134	0,592	0,732	0,869	1,134	-	0,869	1,134	-	-	320
25x25	-	0,765	0,948	1,121	1,470	0,765	0,948	1,121	1,470	-	1,121	1,470	-	-	252
30x30	-	0,912	1,133	1,354	1,776	0,912	1,133	1,354	1,776	-	1,354	1,776	2,597	-	196
35x35	-	1,085	1,349	1,609	2,121	1,085	1,349	1,609	2,121	-	1,609	2,121	3,107	-	168
40x40	-	1,228	1,527	1,824	2,407	1,228	1,527	1,824	2,407	3,536	1,824	2,407	3,536	4,617	144
45x45	-	-	-	2,053	2,713	-	-	2,053	2,713	3,995	2,053	2,713	3,995	5,228	100
50x50	-	-	-	2,294	3,033	-	-	2,294	3,033	4,476	2,294	3,033	4,476	5,869	81
60x60	-	-	-	2,760	3,655	-	-	2,760	3,655	5,408	2,760	3,655	5,408	7,112	63
70x70	-	-	-	-	-	-	-	3,180	4,291	6,363	-	4,291	6,363	8,385	56
80x80	-	-	-	-	-	-	-	-	4,858	7,213	-	4,858	7,213	9,519	49
90x90	-	-	-	-	-	-	-	-	5,490	8,160	-	5,490	8,160	10,782	36
100x100	-	-	-	-	-	-	-	-	6,073	8,955	-	-	8,955	11,734	36

Structural tube provided in steels S235JR and S275J0. Konstruktionsrohr in den Stahlgüten S235JR e S275J0.